



**Bakker Oilfield Supply
Coevorden B.V.**

a Bakker Groep Coevorden company

Pneumatic band saw

Various equipment



Pneumatic



The ideal tool for all cutting work as well as in ATEX Safety class areas.

ATEX
IM2cT6

OPER. PRESSURE
4-6 BAR






Bakker Oilfield Supply
Coevorden B.V.

a Bakker Groep Coevorden company

Pneumatic band saw

Various Equipment

Machine Features





Bakker Oilfield Supply Coevorden B.V.

a Bakker Groep Coevorden company

Pneumatic band saw


Various Equipment

Machine Features

Application in:	For cutting	Features
Construction Pipelines Underground Mining Chemical Plants / Refineries Nuclear Plants Shipyards Scrap Yards	Timber Plastics Non-ferrous Metals Castings Steel Stainless Steel	Low Weight Hand-operated ATEX-Safety Class

Technical Specifications

ATEX Guideline 94/9 EC	:IM2cT6
Cutting Capacity Φ	:107 mm
Cutting Capacity \square	:107x120 mm, 4"x4" Zoll
Power	:0.7 kW
Operating pressure	:6 bar
Air Consumption	:0.90 m ³ /min
Overall length	:550 mm
Height incl. motor	:240 mm
Width	:210 mm
Connection	:R1/2" I
Hose ID	:13
Housing material	:Stainless Steel
Noise level	:76.3 dB(A)
Vibration level	:<2.5 m/s ²
Weight	:9.5 kg



For more information please contact our Rental or Sales Department

